

**GOVERNMENT COLLEGE OF NURSING
BHAVNAGAR**

MCQs TEST FOR COVID – 19

INSTRUCTION: Prepare the answer key of correct answer and send on gconbhav@yahoo.com

1) Full form of COVID-19 is

- | | |
|----------------------------|---|
| A) Co-viral disease-19 | B) Corona virus disorder-19 |
| C) Corona Virus disease-19 | D) Corona Virus deficiency syndrome -19 |

2) Recent Pandemic of corona virus -19 is following type of virus

- | | |
|-----------------------------|-------------------------------|
| A) SARS-CoV | B) MERS-CoV |
| C) NL63 – alpha coronavirus | D) “novel” Coronavirus (nCoV) |

3) Route of transmission of Corona virus infection is/are

- | | |
|-----------------------|----------------------|
| A) Blood born | B) Droplet infection |
| C) Airborne infection | D) All of above |

4) Incubation period of corona virus infection is

- | | |
|--------------|--------------|
| A) 1-7 days | B) 2-14 days |
| C) 3-21 days | D) 4-28 days |

5) For corona infection, following sample is collected

- | | |
|------------------------|---------------|
| A) Serum (Blood) test | B) Urine test |
| C) Nasopharyngeal swab | D) CSF test |

6) Curative medicine of corona virus infection is

- | | |
|-----------------|-----------------|
| A) Azithromycin | B) Ceftazidime |
| C) Lopinavir | D) Non of above |

7) In alcohol based sanitizer for corona virus, preferred ethanol content is

- | | |
|------------------|-----------|
| A) 10-40% | B) 40-50% |
| C) More than 60% | D) 100% |

8) Following action prevent corona virus infection

- A) Drinking alcohol
- B) Taking hot bath
- C) Prevent self from mosquito bite
- D) Non of above

9) Who is/are at risk of developing serious corona infection?

- A) Older persons and
- B) Persons with co morbid cardiac conditions
- C) Diabetic and cancer patients
- D) All of above

10) Most common symptoms of corona infection are

- A) Fever, Cough and shortness of breath
- B) Fever, rashes and Constipation
- C) Fever, cough and Palpitation
- D) Fever, cough and perspiration

11) Current outbreak of CORONA Viruses was initially noticed in a seafood market in Wuhan city in Province of :

- A) Wuhan
- B) Hubei
- C) China
- D) Italy

12) Clinical syndromes associated with nCoV infection such as Patient with pneumonia and no signs of severe pneumonia. Child with non-severe pneumonia has cough or difficulty breathing + fast breathing: fast breathing (in breaths/min) < 2 months , ≥ 60 ; 2 month to 11 months , ≥ 50 , 1 yr to 5 yr, ≥ 40 , is termed as:

- A) Pneumonia
- B) Mild Pneumonia
- C) Severe Pneumonia
- D) ARDS

13) For patients with suspected or confirmed nCoV infection, if we implement infection prevention and control measures such as-- Give suspect patient a medical mask and direct patient to separate area, an isolation room if available. Keep at least 1meter distance between suspected patients and other patients. Instruct all patients to cover nose and mouth during coughing or sneezing with tissue or flexed elbow for others. Perform hand hygiene after contact with respiratory secretions. This should be done at:

- A) At Triage area
- B) At Isolation ward
- C) In COVID-19 ward
- D) All of above

14) As a Clinical Nurse working in COVID-19 ward, one should wear:

- A) Gloves & N-95 Mask
- B) N-95 Mask all the time
- C) N-95 Mask, Face Shield and Gloves
- D) Appropriate PPE

15) _____ is Health Minister : Govt. of India (Health & Family Welfare Department)

- A) Ms. Preeti Sudan
- B) Dr. Harsh Vardhan
- C) Shri Sanjeeva Kumar
- D) Shri Nititbhai Patel

16) Used N-95 Mask is to be disposed off in:

- A) Red Bag
- B) White Bin
- C) Green Bag
- D) Yellow Bag

17) Correct sequence of donning COVID PPE is

- A) Cap, Gloves (first pair), Gown, Neck cover, N-95 Mask, Eye goggle, Head cover & Gloves (Second pair)
- B) Cap, , Gown, Neck cover, N-95 Mask, Eye goggle, Head cover Gloves(first pair) &Gloves (Second pair)
- C) N-95 Mask, Cap, Gloves (first pair), Gown, Neck cover, Eye goggle, Head cover & Gloves (Second pair)
- D) Head cover, Cap, Gloves (first pair), Gown, Neck cover, N-95 Mask, Eye goggle, & Gloves (Second pair)

18) Correct sequence of doffing COVID-PPE is

- A) Shoe cover, Head cap Outer gloves, Head cover, Neck cover, Gown, Eye goggle, Inner gloves & N-95 mask
- B) Shoe cover, Outer gloves, Head cover, Neck cover, Gown, Eye goggle, Inner gloves, N-95 mask & Head cap
- C) Head cover ,Shoe cover, Outer gloves, , Neck cover, Gown, Eye goggle, Inner gloves, N-95 mask & Head cap
- D) N-95 mask, Shoe cover, Outer gloves, Head cover, Neck cover, Gown, Eye goggle, Inner gloves, & Head cap

19) Person with suspected contact with Corona infection must quarantine for at least

- A) 5 Days
- B) 7 Days
- C) 14 Days
- D) 10 Days

20) Following practices are useful to prevention of corona infection EXCEPT

- A) Hand washing
- B) Taking OTC Medicine
- C) Social distancing
- D) Cough etiquette